



Dixie Canner Company

786 East Broad Street, Athens, Georgia 30601 USA
 706-549-1914 706-549-0137 FAX
 sales@dixiecanner.com • www.dixiecanner.com

Worldwide Dependability — Can Packaging & Processing Equipment

MODEL UVD-AL & UVGD-AL PARTS & PRICE LIST

Effective: 03-26-08

| PART NO. | DESCRIPTION | PRICE EACH |
|----------|---|------------|
| 8 | Cam Housing with 8-B Insert | 120.00 |
| 8-B | Insert for Cam Housing | 12.00 |
| 11 | Seam Roll Lever Spring | 10.00 |
| 13 | Seaming Cam | 100.00 |
| 15 | Spur Gear | 100.00 |
| 16 | Lock Nut, S.S. | 8.00 |
| 17-A | Seam Roll Lever Set Screw, Swivel Pad | 25.00 |
| 18 | Cam Roll Lever Set Screw | 8.00 |
| 19 | Cam Roll Lever Spring | 10.00 |
| 20 | Cam Roll | 75.00 |
| 40 | 1st Operation Gauge Wire (Specify container type) | 10.00 |
| 41 | 2nd Operation Gauge Wire (Specify container type) | 10.00 |
| 44 | Chuck Wrench | 50.00 |
| 46 | Metal Disc for Base Plate | 8.00 |
| 56 | Base Plate Set Screw | 10.00 |
| 57 | Base Plate Adjusting Screw | 10.00 |
| 59 | Retainer Spring for Metal Disc | 10.00 |
| 63 | Clip for Tension Spring No. 64 | 10.00 |
| 64 | Tension Spring | 10.00 |
| 123-1 | 1st Operation Cam Roll Lever | 220.00 |
| 124-1 | 2nd Operation Cam Roll Lever | 220.00 |
| 135 | Steel Ball | 8.00 |
| 200 | Guard | 450.00 |
| 200-2 | Bushing | 15.00 |
| 20123 | Chamber, 7" | 5,800.00 |
| 20123-1 | Chamber, 15" | 10,900.00 |
| 201-1 | Bushing | 12.00 |
| 201-2 | Seal | 15.00 |
| 201-3 | Seal | 15.00 |
| 201-4 | Bearing | 35.00 |
| 201-5 | Can Top Retainer | 40.00 |
| 202-1 | Bushing | 12.00 |
| 202-2 | Seal | 15.00 |
| 204-A | Seam Roll Drive Shaft | 250.00 |
| 205 | Seam Roll Drive Lever | 250.00 |
| 206 | Seam Roll Lever | 250.00 |
| 207 | Seam Roll Screw | 18.00 |
| 208D-1 | Chuck Shaft | 210.00 |
| 209 | Door, 7" | 800.00 |
| 209-A | Door Gasket, 7" | 90.00 |
| 209-1 | Door, 15" | 2,000.00 |

| PART NO. | DESCRIPTION | PRICE EACH |
|-----------------|--|-------------------|
| 209-A15 | Door Gasket, 15" | 100.00 |
| 210 | Door Window | 30.00 |
| 210-A | O-Ring for Door Window | 8.00 |
| 211 | Door Handle | 50.00 |
| 212 | Door Lever Arm, 7" | 140.00 |
| 212-1 | Door Lever Arm, 15" | 200.00 |
| 213 | Door Spring Stud (Door) | 20.00 |
| 213-A | Door Spring Stud (Chamber) | 20.00 |
| 214 | Door Lever Bushing | 25.00 |
| 216 | Spacer for Door Pivot Stop | 15.00 |
| 216-A | Bolt, 3/8" x 2-1/2" Round Head, S.S. | 8.00 |
| 217 | Spring (Door/Treadle) | 25.00 |
| 218 | Door Pivot Stop | 60.00 |
| 223-2 | Nut | 10.00 |
| 248 | Vacuum Pump 115/60/1 | 3,100.00 |
| 248-X | Vacuum Pump 220/50/1 | 3,200.00 |
| 248-B | Bushing | 12.00 |
| 303 | 8-32 x 3/4" Socket Cap Screw | 8.00 |
| 304 | 10-32 x 1/4" Set Screw | 8.00 |
| 308 | 1/4"-28 x 3/4" S.S. Hex Head Cap Screw | 8.00 |
| 309 | 1/4"-20 x 3/4" S.S. Socket Head Cap Screw | 8.00 |
| 311 | 1/4"-20 x 1" S.S. Hex Head Cap Screw | 8.00 |
| 314 | 1/4" S.S. Flat Washer | 8.00 |
| 315 | 1/4" S.S. Lock Washer | 8.00 |
| 316 | 1/4" Lock Nut for Mounting 816 | 8.00 |
| 322 | 5/16" x 1-1/4" S.S. Hex Head Cap Screw | 8.00 |
| 323 | 5/16" x 1-1/2" S.S. Hex Head Cap Screw | 8.00 |
| 325 | 5/16" S.S. Flat Washer | 8.00 |
| 326 | 5/16" S. S. Lock Washer | 8.00 |
| 328 | 5/16" S.S. Hex Nut | 8.00 |
| 331 | 3/8"-16 x 1" Hex Head Cap Screw | 8.00 |
| 333 | 3/8" x 4" S.S. Hex Head Cap Screw | 8.00 |
| 334 | 3/8" S.S. Flat Washer | 8.00 |
| 335 | 3/8" S.S. Lock Washer | 8.00 |
| 336 | 3/8"-16 S.S. Finished Nut | 8.00 |
| 341 | 1/2" S.S. Flat Washer | 8.00 |
| 342 | 1/2" S.S. Lock Washer | 8.00 |
| 352 | 3/8"-16 x 4-1/4" S.S. Hex Head Cap Screw | 9.00 |
| 366 | 6-32 Hex Nut | 8.00 |
| 367 | 6-32 x 1/2" S.S. Machine Screw | 8.00 |
| 369 | 6-32 x 1-1/4" S.S. Machine Screw | 8.00 |
| 373 | 10-32 x 3/4" S.S. Machine Screw | 8.00 |
| 374 | 1/4"-20 x 1-1/2" S. S. Socket Head Cap Screw | 8.00 |
| 374-1 | Modified 374 S.S. Socket Head Cap Screw | 15.00 |
| 375 | 8-32 x 1/2" S.S. Machine Screw | 8.00 |
| 379 | 1/2"-13 x 1-1/2" S.S. Hex Head Cap Screw | 8.00 |
| 381 | 10-32 x 1/4" S.S. Machine Screw | 8.00 |
| 382 | 1/4"-20 x 1/2" S.S. Hex Head Cap Screw | 8.00 |
| 400 | 1/4" 90° Elbow, S.S. | 12.00 |
| 415 | Gas Inlet Fitting | 35.00 |
| 415-D | 1/2" Square Head Plug, S.S. | 12.00 |
| 425 | 1/2" 90° Elbow, S.S. | 17.00 |
| 427 | 1/2" Tee, S.S. | 17.00 |

| PART NO. | DESCRIPTION | PRICE EACH |
|-----------------|---|-------------------|
| 428 | 1/2" Union, S.S. | 30.00 |
| 431 | 1/2" Closed Nipple, S.S. | 12.00 |
| 433 | 1/2" x 2" Nipple, S.S. | 12.00 |
| 446 | 1/2" x 3" Nipple, S.S. | 12.00 |
| 447 | 1/2" x 4-1/2" Nipple, S.S. | 15.00 |
| 450 | 1/4" x 3" Nipple, S.S. | 12.00 |
| 452 | 1/4" x 1/8" Bushing, S.S. | 15.00 |
| 454 | 1/4" x 1-1/2" Nipple, S.S. | 10.00 |
| 501-6 | Motor | 775.00 |
| 502-1 | Clutch/Brake/Solenoid Assembly | 750.00 |
| 503 | Gear Housing with Flange Bearing 503-A | 230.00 |
| 503-A | Flange Bearing for 503 | 10.00 |
| 504-1 | Gear Housing Cover Plate | 90.00 |
| 505-1 | Spacer | 10.00 |
| 506-1 | Motor Platform | 90.00 |
| 507 | Frame Post for Motor Platform | 75.00 |
| 508 | Drive Collar | 135.00 |
| 511 | #9 Woodruff Key | 8.00 |
| 526-1 | Cabinet | 2,200.00 |
| 526-A | Gasket for 526-1 Cabinet | 55.00 |
| 526-C | Face Plate | 30.00 |
| 571 | Clutch/Brake Guard | 175.00 |
| 573-1 | Magnet for Clutch/Brake Guard | 15.00 |
| 573-2 | Magnet Plate for Clutch/Brake Guard | 5.00 |
| 573-3 | Knob for Clutch/Brake Guard | 12.00 |
| 573-4 | Guard Mounting Bracket | 5.00 |
| 573-5 | 3/16" x 1/4" Aluminum Rivet | 2.00 |
| 573-7 | 3/16" Rivet Washer | 2.00 |
| 603-2 | Connector, 45° | 20.00 |
| 604 | Terminal Cap | 10.00 |
| 605-1 | Cord Connector - 1850 | 20.00 |
| 605-2 | Cord Connector - 3150 | 20.00 |
| 605-3 | Cord Connector - CG1250 | 20.00 |
| 605-4 | Cord Connector - CG250 | 20.00 |
| 606 | 1/2" Straight C Condulet | 25.00 |
| 607 | 1/2" T Condulet | 20.00 |
| 607-A | 1/2" Condulet Cover & Gasket | 10.00 |
| 608 | 1/2" Pull Elbow | 12.00 |
| 609 | 1/2" Aluminum Lock Nut | 8.00 |
| 610 | 1/2" Aluminum Coupling | 10.00 |
| 611 | 1/2" Aluminum Closed Nipple | 10.00 |
| 612-1-1/2 | 1/2" 1-1/2" Aluminum Nipple | 10.00 |
| 612-2 | 1/2" x 2" Aluminum Nipple | 10.00 |
| 612-3 | 1/2" x 3" Aluminum Nipple | 10.00 |
| 612-4 | 1/2" x 4" Aluminum Nipple | 12.00 |
| 612-5 | 1/2" x 5" Aluminum Nipple | 15.00 |
| 612-7 | 1/2" x 7" Aluminum Nipple | 18.00 |
| 612-8 | 1/2" x 8" Aluminum Nipple | 20.00 |
| 612-11 | 1/2" X 11" Aluminum Nipple | 20.00 |
| 612-12 | 1/2" x 12" Aluminum Nipple | 20.00 |
| 612-13 | 1/2" x 13" Aluminum Nipple | 20.00 |
| 612-15 | 1/2" x 15" Aluminum Nipple | 25.00 |
| 612-18 | 1/2" x 18" Aluminum Nipple | 25.00 |

| PART NO. | DESCRIPTION | PRICE EACH |
|-----------------|---|-------------------|
| 614 | Sealing Ring | 10.00 |
| 627 | 1/2" LB Condulet | 20.00 |
| 648 | Digital Vacuum and Gas Programmer | 300.00 |
| 659 | Door Switch | 25.00 |
| 659-1 | Magnet for 659 Door Switch | 15.00 |
| 659-2 | Bracket for Mounting 659-1 | 40.00 |
| 661-3 | Programmable Controller | 750.00 |
| 662 | Solid State Relay 25 Amps 120 | 45.00 |
| 664 | Sensor/Counter | 60.00 |
| 664-A | Magnet for 664 Sensor/Counter | 10.00 |
| 664-B | Bracket for 664 Sensor/Counter | 35.00 |
| 666 | 2-Way Solenoid Valve | 250.00 |
| 674 | Terminal Block | 35.00 |
| 675 | Terminal Block | 10.00 |
| 675-A | FBI 10-6 Jumper | 8.00 |
| 676 | End for Terminal Block | 10.00 |
| 678 | 4 Amp Fuse | 8.50 |
| 680 | 3-Way Selector Switch/Holder/Contact Block | 110.00 |
| 680-1 | Operating Function Legend Plate | 20.00 |
| 681 | Operator Switch with Control Block | 80.00 |
| 682 | 2-Way Function Switch/Holder/Contact Block | 90.00 |
| 682-1 | Operating Functions Legend Plate | 20.00 |
| 684 | Start/Stop Switch with Contact Block | 90.00 |
| 684-2 | Pull to Start/Push to Stop Legend Plate | 15.00 |
| 689 | 15 Amp Fuse MDA-15 Time Delay Ceramic Tube | 8.50 |
| 801 | Bracket for 803 Air Lift Plunger | 220.00 |
| 803 | Air Lift Plunger | 210.00 |
| 804 | Platform Spacer, 3/4" x 5/8" | 20.00 |
| 805 | Air Lift Shaft | 160.00 |
| 811-1 | 5-Port Solenoid Valve | 215.00 |
| 813 | Male Connector | 10.00 |
| 814 | Male Elbow, 1/8" NPT | 10.00 |
| 815 | Polyurethane Tubing, per foot | 5.00 |
| 816 | Filter/Regulator with Gauge | 160.00 |
| 816-A | Gauge for 816 | 65.00 |
| 819-1 | Muffler, 1/8" for 5-Port Solenoid Valve 811-1 | 10.00 |
| 821 | 1/4" NPT Coupler/Plug Assembly | 30.00 |

| PART NO. | DESCRIPTION | PRICE EACH |
|----------|-------------|------------|
|----------|-------------|------------|

CHANGE PARTS

| | | |
|-------------------|-------|--------|
| Seam Rolls | | 225.00 |
| Seam Roll Bushing | | 35.00 |

| | | |
|--|---|---------------|
| Chucks | 108 to 404 diameter | 225.00 |
| | 405 to 603 diameter | 325.00 |
| | 604 to 610 diameter | 600.00 |
| | Add for Magnets in Chuck (vac/gas seamers only) | 100.00 |
| | Add for Special | Request Price |
| Send 3 samples ends for custom fabrication of a chuck | | |

| | | |
|---|-----------------------------|---------------|
| Base Plates | 108 to 404 diameter | 225.00 |
| | 405 to 603 diameter | 350.00 |
| | 604 to 610 diameter | 600.00 |
| | Add for Modified Base Plate | Request Price |
| Send 1 sample container for custom fabrication of a base plate | | |

| | | |
|---------------|-------|--------|
| Height Spacer | | 150.00 |
|---------------|-------|--------|

SEND SAMPLES TO: Dixie Canner Company
786 East Broad Street
Athens, GA 30601

| | | |
|--------------------|-------------------------------------|-----------------------|
| SPK/UVD-AL | SPARE PARTS KIT for UVD-AL | \$621.50 |
| SPK/UVGD-AL | SPARE PARTS KIT for UVGD-AL | \$621.50 |
| 2 | 11 Seam Roll Lever Spring | |
| 2 | 18 Cam Roll Lever Set Screw | |
| 2 | 19 Cam Roll Lever Spring | |
| 2 | 207 Seam Roll Screw | |
| 2 | 678 4 Amp Fuse | |
| 5 | 689 15 Amp Fuse | |
| 1 | 664 Sensor/Counter | |
| 4 | 664-A Magnet for 664 Sensor/Counter | |
| 1 | 803 Air Lift Plunger | |
| 1 | 805 Air Lift Shaft | |

| | | |
|---------------------|---|-----------------------|
| HEAD-UD-UVGD | HEAD ASSEMBLY (assembled) | \$792.00 |
| 1 | 8 Cam Housing with 8-B Insert | |
| 1 | 13 Seaming Cam | |
| 1 | 15 Spur Gear | |
| 1 | 208D-1 Chuck Shaft | |
| 1 | 503 Gear Housing with Flange Bearing | |
| 2 | 309 1/4-20 x 3/4 S.S. Socket Head Cap Screw | |
| 2 | 315 1/4 Lock Washer | |

**ALL PRICES ARE NET, F.O.B. ATHENS, GEORGIA
AND ARE SUBJECT TO CONFIRMATION**