



# Dixie Canner Company

786 East Broad Street, Athens, Georgia 30601 USA  
 706-549-1914 706-549-0137 FAX  
 sales@dixiecanner.com • www.dixiecanner.com

Worldwide Dependability ————— Can Packaging & Processing Equipment

## MODEL UVGD PARTS & PRICE LIST

Effective: 03-26-08

PART NO.	DESCRIPTION	PRICE EACH
8	Cam Housing with 8-B Insert . . . . .	120.00
8-B	Insert for Cam Housing . . . . .	12.00
11	Seam Roll Lever Spring . . . . .	10.00
13	Seaming Cam . . . . .	100.00
15	Spur Gear . . . . .	100.00
16	Lock Nut, S.S. . . . .	8.00
17-A	Seam Roll Lever Set Screw, Swivel Pad . . . . .	25.00
18	Cam Roll Lever Set Screw . . . . .	8.00
19	Cam Roll Lever Spring . . . . .	10.00
20	Cam Roll . . . . .	60.00
22	Pin for Can Raising Lever . . . . .	8.00
40	1st Operation Gauge Wire (Specify container type) . . . . .	10.00
41	2nd Operation Gauge Wire (Specify container type) . . . . .	10.00
44	Chuck Wrench . . . . .	50.00
46	Metal Disc for Base Plate . . . . .	8.00
56	Base Plate Set Screw . . . . .	10.00
57	Base Plate Adjusting Screw . . . . .	10.00
59	Retainer Spring for Metal Disc . . . . .	10.00
99	Set Screw . . . . .	10.00
123-1	1st Operation Cam Roll Lever . . . . .	220.00
124-1	2nd Operation Cam Roll Lever . . . . .	220.00
135	Steel Ball . . . . .	8.00
163	Washer . . . . .	8.00
200	Guard . . . . .	450.00
200-2	Bushing . . . . .	12.00
20123	Chamber, 7" . . . . .	5,800.00
20123-1	Chamber, 15" . . . . .	10,900.00
201-1	Bushing . . . . .	12.00
201-2	Seal . . . . .	15.00
201-3	Seal . . . . .	15.00
201-4	Bearing . . . . .	35.00
201-5	Can Top Retainer . . . . .	40.00
202-1	Bushing . . . . .	12.00
202-2	Seal . . . . .	15.00
204-A	Seam Roll Drive Shaft . . . . .	250.00
205	Seam Roll Drive Lever . . . . .	250.00
206	Seam Roll Lever . . . . .	250.00
207	Seam Roll Screw . . . . .	18.00
208D-1	Chuck Shaft . . . . .	210.00
209	Door, 7" . . . . .	800.00
209-A	Door Gasket, 7" . . . . .	90.00

<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>PRICE EACH</b>
209-1	Door, 15" . . . . .	2,000.00
209-A15	Door Gasket, 15" . . . . .	100.00
210	Door Window . . . . .	30.00
210-A	O-Ring for Door Window . . . . .	8.00
211	Door Handle . . . . .	50.00
212	Door Lever Arm, 7" . . . . .	140.00
212-1	Door Lever Arm, 15" . . . . .	200.00
213	Door Spring Stud (Door) . . . . .	20.00
213-A	Door Spring Stud (Chamber) . . . . .	20.00
214	Door Lever Bushing . . . . .	25.00
216	Spacer for Door Pivot Stop . . . . .	15.00
216-A	Bolt, 3/8" x 2-1/2" Round Head, S.S. . . . . .	8.00
217	Spring (Door/Treadle) . . . . .	25.00
218	Door Pivot Stop . . . . .	60.00
222	Base Plate Lift Shaft . . . . .	180.00
222-1	Collar . . . . .	22.00
222-2	Spring . . . . .	30.00
222-3	Spring Spacer . . . . .	15.00
223	Base Plate Adjusting Screw 3/4-16 x 2-1/2 . . . . .	35.00
223-1	O-Ring . . . . .	8.00
223-2	Nut . . . . .	10.00
224	Base Plate Extension Shaft . . . . .	50.00
226	Platform . . . . .	70.00
227	Platform Spacer . . . . .	35.00
229	Lift Plunger . . . . .	90.00
230	Cross Bar . . . . .	60.00
231	Tie Rod . . . . .	50.00
232	Cam Lever . . . . .	80.00
233	Connecting Rod . . . . .	45.00
233-1	Turn Buckle Assembly . . . . .	40.00
248	Vacuum Pump 115/60/1 . . . . .	3,100.00
248-B	Bushing . . . . .	12.00
248-Filter Assem	Assembly, Inlet Filter for 248 . . . . .	200.00
264	Treadle Hinge Bracket . . . . .	60.00
265	Treadle Lever . . . . .	55.00
265-A	Treadle Cushion . . . . .	60.00
266	Treadle Foot Pad . . . . .	50.00
266-1	Treadle Foot Pad . . . . .	50.00
268	Treadle Hinge Bolt . . . . .	50.00
269-1	Treadle Trip Lever . . . . .	75.00
269-2	Trip Treadle Hinge Bracket . . . . .	65.00
303	8-32 x 3/4" Socket Cap Screw . . . . .	8.00
304	10-32 x 1/4" Set Screw . . . . .	8.00
305	1/4"-20 x 1/4" Set Screw . . . . .	8.00
308	1/4"-28 x 3/4" S.S. Hex Head Cap Screw . . . . .	8.00
309	1/4"-20 x 3/4" S.S. Socket Head Cap Screw . . . . .	8.00
311	1/4"-20 x 1" S.S. Hex Head Cap Screw . . . . .	8.00
312	1/4" x 3/4" Cap Screw . . . . .	8.00
314	1/4" S.S. Flat Washer . . . . .	8.00
315	1/4" S.S. Lock Washer . . . . .	8.00
316	1/4" Lock Nut for Mounting 816 . . . . .	8.00
322	5/16" x 1-1/4" S.S. Hex Head Cap Screw . . . . .	8.00
323	5/16" x 1-1/2" S.S. Hex Head Cap Screw . . . . .	8.00
325	5/16" S.S. Flat Washer . . . . .	8.00
326	5/16" S. S. Lock Washer . . . . .	8.00

<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>PRICE EACH</b>
328	5/16" S.S. Hex Nut . . . . .	8.00
330	3/8"-16 x 3/4" Hex Head Cap Screw . . . . .	8.00
331	3/8"-16 x 1" Hex Head Cap Screw . . . . .	8.00
332	3/8" x 2-1/2" S.S. Cap Screw . . . . .	8.00
333	3/8" x 4" S.S. Hex Head Cap Screw . . . . .	8.00
334	3/8" S.S. Flat Washer . . . . .	8.00
335	3/8" S.S. Lock Washer . . . . .	8.00
336	3/8"-16 S.S. Finished Nut . . . . .	8.00
340	1/2" x 6 1/4" Hex Head Cap Screw . . . . .	9.00
341	1/2" S.S. Flat Washer . . . . .	8.00
342	1/2" S.S. Lock Washer . . . . .	8.00
352	3/8"-16 x 4-1/4" S.S. Hex Head Cap Screw . . . . .	9.00
366	6-32 Hex Nut . . . . .	8.00
367	6-32 x 1/2" S.S. Machine Screw . . . . .	8.00
369	6-32 x 1-1/4" S.S. Machine Screw . . . . .	8.00
370	10-32 x 1" Machine Screw . . . . .	8.00
371	10-32 S.S. Nut . . . . .	8.00
372	10-32 x 1/2" S.S. Machine Screw . . . . .	8.00
373	10-32 x 3/4" S.S. Machine Screw . . . . .	8.00
374	1/4"-20 x 1-1/2" S. S. Socket Head Cap Screw . . . . .	8.00
374-1	Modified 374 S.S. Socket Head Cap Screw . . . . .	15.00
375	8-32 x 1/2" S.S. Machine Screw . . . . .	8.00
378	8-32 x 1/4" S.S. Machine Screw . . . . .	8.00
379	1/2"-13 x 1-1/2" S.S. Hex Head Cap Screw . . . . .	8.00
381	10-32 x 1/4" S.S. Machine Screw . . . . .	8.00
382	1/4"-20 x 1/2" S.S. Hex Head Cap Screw . . . . .	8.00
400	1/4" 90° Elbow, S.S. . . . .	12.00
402	1/2" x 1/4" Bushing, S.S. . . . .	12.00
410	Ball Valve 1/2 . . . . .	40.00
411	3-Way Valve . . . . .	55.00
415	Gas Inlet Fitting . . . . .	35.00
415-D	1/2" Square Head Plug, S.S. . . . .	12.00
425	1/2" 90° Elbow, S.S. . . . .	17.00
427	1/2" Tee, S.S. . . . .	17.00
428	1/2" Union, S.S. . . . .	30.00
431	1/2" Closed Nipple, S.S. . . . .	12.00
433	1/2" x 2" Closed Nipple, S.S. . . . .	12.00
440	1/2" x 5 Nipple . . . . .	15.00
446	1/2" x 3" Nipple, S.S. . . . .	12.00
447	1/2" x 4-1/2" Nipple, S.S. . . . .	15.00
450	1/4" x 3" Nipple, S.S. . . . .	12.00
451	1/4" 90° Street Elbow S.S. . . . .	15.00
452	1/4" x 1/8" Bushing, S.S. . . . .	15.00
453	1/4" Square Head Plug, S.S. . . . .	12.00
501-6	Motor . . . . .	775.00
502-1	Clutch/Brake/Solenoid Assembly . . . . .	750.00
503	Gear Housing with Flange Bearing 503-A . . . . .	230.00
503-A	Flange Bearing for 503 . . . . .	10.00
504-1	Gear Housing Cover Plate . . . . .	90.00
505-1	Spacer . . . . .	10.00
506-1	Motor Platform . . . . .	90.00
507	Frame Post for Motor Platform . . . . .	75.00
508	Drive Collar . . . . .	135.00
511	#9 Woodruff Key . . . . .	8.00
526	Cabinet . . . . .	2,200.00

<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>PRICE EACH</b>
571	Clutch/Brake Guard	175.00
573-1	Magnet for Clutch/Brake Guard	15.00
573-2	Magnet Platform Clutch/Brake Guard	5.00
573-3	Knob for Clutch/Brake Guard	12.00
573-4	Guard Mounting Bracket	5.00
573-5	3/16" x 1/4" Aluminum Rivet	2.00
573-6	3/16" x 3/8" Aluminum Rivet	2.00
573-7	3/16" Rivet Washer	2.00
601-B	6 Strip Terminal	20.00
603-1	90 Degree Connector	20.00
603-2	Connector, 45°	20.00
603-3	Straight Connector	20.00
604	Terminal Cap	10.00
605-1	Cord Connector - 1850	20.00
605-2	Cord Connector - 3150	20.00
605-3	Cord Connector - CG1250	20.00
605-4	Cord Connector - CG250	20.00
605-6	Cord Connector - CG5050	20.00
606	1/2" Straight C Condulet	25.00
607	1/2" T Condulet	20.00
607-A	1/2" Condulet Cover & Gasket	10.00
608	1/2" Pull Elbow	12.00
609	1/2" Aluminum Lock Nut	8.00
610	1/2" Aluminum Coupling	10.00
611	1/2" Aluminum Closed Nipple	10.00
612-1-1/2	1/2" 1-1/2" Aluminum Nipple	10.00
612-2	1/2" x 2" Aluminum Nipple	10.00
612-3	1/2" x 3" Aluminum Nipple	10.00
612-4	1/2" x 4" Aluminum Nipple	12.00
612-5	1/2" x 5" Aluminum Nipple	15.00
612-7	1/2" x 7" Aluminum Nipple	18.00
612-8	1/2" x 8" Aluminum Nipple	20.00
612-12	1/2" x 12" Aluminum Nipple	20.00
612-13	1/2" x 13" Aluminum Nipple	20.00
612-15	1/2" x 15" Aluminum Nipple	25.00
612-18	1/2" x 18" Aluminum Nipple	25.00
614	Sealing Ring	10.00
627	1/2" LB Condulet	20.00
629	Clutch Stop Switch Bracket-UVGD	35.00
632	Clutch Stop Switch	85.00
633	Switch Cover	75.00
634	Relay Switch	35.00
634-A	Base for Relay Switch	12.00
634-B	Clip/Relay	5.00
648	Digital Vacuum and Gas Programmer	300.00
662	Solid State Relay 25 Amps	45.00
670	Clutch Start Switch	225.00
677	Inline Fuse Holder	15.00
680	3-Way Selector Switch/Holder/Contact Block	110.00
684	Start/Stop Switch with Contact Block	90.00
684-2	Pull to Start/Push to Stop Legend Plate	15.00
689	15 Amp Fuse MDA-15 Time Delay Ceramic Tube	8.50
814	Male Elbow, 1/8" NPT	10.00

PART NO.	DESCRIPTION	PRICE EACH
----------	-------------	------------

**CHANGE PARTS:**

Seam Rolls	.....	220.00
Seam Roll Bushing	.....	35.00

Chucks	108 to 404 diameter	225.00
	405 to 603 diameter	325.00
	604 to 610 diameter	600.00
	Add for Magnets in Chuck (vac/gas seamers only)	100.00
	Add for Special	Request Price

**Send 3 samples ends for custom fabrication of a chuck**

Base Plates	108 to 404 diameter	225.00
	405 to 603 diameter	350.00
	604 to 610 diameter	600.00
	Add for Modified Base Plate	Request Price

**Send 1 sample container for custom fabrication of a base plate**

Height Spacer	.....	150.00
---------------	-------	--------

SEND SAMPLES TO: Dixie Canner Company  
786 East Broad Street  
Athens, GA 30601

**SPK/UVGD SPARE PARTS KIT FOR MODEL UVGD ..... \$421.00**

2	11	Seam Roll Lever Spring
2	18	Cam Roll Lever Set Screw
2	19	Cam Roll Lever Spring
2	207	Seam Roll Screw
1	217	Spring Treadle & Door
1	223-1	O-Ring
2	232	Cam Lever
1	632	Clutch Stop Switch
6	689	15 Amp Fuse

**HEAD-UD-UVGD HEAD ASSEMBLY (assembled) ..... \$792.00**

1	8	Cam Housing with 8-B Insert
1	13	Seaming Cam
1	15	Spur Gear
1	208D-1	Chuck Shaft
1	503	Gear Housing with Flange Bearing
2	309	1/4-20 x 3/4 S.S. Socket Head Cap Screw
2	315	1/4 Lock Washer

**ALL PRICES ARE NET, F.O.B. ATHENS, GEORGIA  
AND ARE SUBJECT TO CONFIRMATION**