



# Dixie Canner Company

786 East Broad Street, Athens, Georgia 30601 USA  
706-549-1914 706-549-0137 FAX  
sales@dixiecanner.com • www.dixiecanner.com

Worldwide Dependability — Can Packaging & Processing Equipment

## MODEL UVG PARTS & PRICE LIST

Effective 03-26-08

PART NO.	DESCRIPTION	PRICE EACH
1	Housing Cover . . . . .	60.00
2	Screw . . . . .	8.00
2-A	Washer . . . . .	8.00
7-1	Bronze Bevel Gear . . . . .	190.00
8	Cam Housing with 8-B Insert . . . . .	120.00
8-B	Insert for Cam Housing . . . . .	12.00
11	Seam Roll Lever Spring . . . . .	10.00
13	Seaming Cam . . . . .	100.00
15	Spur Gear . . . . .	100.00
16	Lock Nut, S.S. . . . .	8.00
17	Seam Roll Lever Set Screw, Hex Head Swivel . . . . .	20.00
18	Cam Roll Lever Set Screw . . . . .	8.00
19	Cam Roll Lever Spring . . . . .	10.00
20	Cam Roll . . . . .	60.00
22	Pin for Can Lever . . . . .	8.00
23-B	Wear Plate . . . . .	45.00
30	Plunger Housing . . . . .	80.00
40	1st Operation Gauge Wire (Specify container type) . . . . .	10.00
41	2nd Operation Gauge Wire (Specify container type) . . . . .	10.00
44	Chuck Wrench . . . . .	50.00
46	Metal Disc for Base Plate . . . . .	8.00
56	Base Plate Set Screw . . . . .	10.00
57	Base Plate Adjusting Screw . . . . .	10.00
59	Retainer Spring for Metal Disc . . . . .	10.00
63	Clip, Tension Spring . . . . .	10.00
64-A	Tension Spring for Starting Lever . . . . .	10.00
65	Cam Spring . . . . .	10.00
66	Cam Stud . . . . .	10.00
70	Clutch Cam . . . . .	55.00
74-1	Driving Pulley, 1-1/2" x 1/2" . . . . .	15.00
76	115/60/1 Motor . . . . .	175.00
76-B	Special Motor 110/220-50-1 . . . . .	275.00
80	Nut . . . . .	10.00
84	Washer . . . . .	10.00
85	Driving Pin . . . . .	15.00
87	Oiler . . . . .	15.00
93	Collar for Hub Shaft . . . . .	65.00
95	Stop Collar For Starting Lever . . . . .	70.00
99	Set Screw . . . . .	10.00
100	Cotter Key . . . . .	10.00
123-1	1st Operation Cam Roll Lever . . . . .	220.00
124-1	2nd Operation Cam Roll Lever . . . . .	220.00

PART NO.	DESCRIPTION	PRICE EACH
135	Steel Ball	8.00
137	Driven Sheave Pulley	180.00
138-1	"V" Belt, 1/2" x 46"	30.00
142-2	Woodruff Key	10.00
143-1	Steel Bevel Gear with Keyway	150.00
151	Spring Stop Pin	10.00
163	Washer	8.00
171	Clutch Sleeve	200.00
200	Guard	450.00
200-2	Bushing	12.00
20123	Chamber, 7"	5,800.00
201-1	Bushing	12.00
201-2	Seal	15.00
201-3	Seal	15.00
201-4	Bearing	35.00
201-5	Can Top Retainer	40.00
201-5A	Plunger	12.00
201-5B	Angle	15.00
201-5C	Nut	5.00
201-5D	Thumb Screw	5.00
202-1	Bushing	12.00
202-2	Seal	15.00
204-A	Seam Roll Drive Shaft	250.00
205	Seam Roll Drive Lever	250.00
206	Seam Roll Lever	250.00
207	Seam Roll Screw	18.00
208-1	Chuck Shaft	200.00
209	Door, 7"	800.00
209-A	Door Gasket, 7"	90.00
210	Door Window	30.00
210-A	O-Ring for Door Window	8.00
211	Door Handle	50.00
212	Door Lever Arm, 7"	140.00
213	Door Spring Stud (Door)	20.00
213-A	Door Spring Stud (Chamber)	20.00
214	Door Lever Bushing	25.00
216	Spacer for Door Pivot Stop	15.00
216-A	Bolt, 3/8" x 2-1/2" Round Head, S.S.	8.00
217	Spring (Door/Treadle)	25.00
218	Door Pivot Stop	60.00
219	Belt Guard	700.00
222	Base Plate Lift Shaft	180.00
222-1	Collar	22.00
222-2	Spring	30.00
222-3	Spring Spacer	15.00
223	Base Plate Adjusting Screw 3/4-16 x 2-1/2	35.00
223-1	"O"-Ring	8.00
223-2	Nut	10.00
224	Base Plate Extension Shaft	50.00
226	Platform	70.00
227	Platform Spacer	35.00
229	Lift Plunger	90.00
230	Cross Bar	60.00
231	Tie Rod	50.00

PART NO.	DESCRIPTION	PRICE EACH
232	Cam Lever . . . . .	80.00
233	Connecting Rod . . . . .	45.00
233-1	Turn Buckle Assembly . . . . .	30.00
235	Support Shaft . . . . .	45.00
236	Starting Lever Stop Collar . . . . .	45.00
237	Starting Lever . . . . .	190.00
238	Clutch Stop Pin . . . . .	40.00
239	Starting Lever Handle, Complete . . . . .	40.00
239-1	Plastic Ball For No. 239 . . . . .	10.00
240	Motor Base . . . . .	180.00
241	Gear Housing . . . . .	350.00
243	Drive Shaft . . . . .	90.00
246	Trip Lever Latch . . . . .	40.00
247	Trip Lever Spring . . . . .	10.00
248	Vacuum Pump 115/60/1 . . . . .	3,100.00
248-B	Bushing 3/4" x 1/2", S.S. . . . . .	12.00
264	Treadle Hinge Bracket . . . . .	60.00
265	Treadle Lever . . . . .	55.00
265-A	Treadle Cushion . . . . .	60.00
266	Treadle Foot Pad . . . . .	50.00
266-1	Treadle Foot Pad . . . . .	50.00
268	Treadle Hinge Bolt . . . . .	50.00
269-1	Treadle Trip Lever . . . . .	40.00
269-2	Trip Treadle Hinge Bracket . . . . .	75.00
270	Switch . . . . .	65.00
303	8-32 x 3/4" Socket Cap Screw . . . . .	8.00
304	10-32 x 1/4" Set Screw . . . . .	8.00
309	1/4"-20" x 3/4" S.S. Socket Head Cap Screw . . . . .	8.00
311	1/4"-20 x 1" S.S. Hex Head Cap Screw . . . . .	8.00
312	1/4" x 3/4" Cap Screw . . . . .	8.00
314	1/4" S.S. Flat Washer . . . . .	8.00
315	1/4" S.S. Lock Washer . . . . .	8.00
316	1/4" Lock Nut . . . . .	8.00
321	5/16" x 1" . . . . .	8.00
322	5/16" x 1-1/4" S.S. Hex Head Cap Screw . . . . .	8.00
323	5/16" x 1-1/2" S.S. Hex Head Cap Screw . . . . .	8.00
325	5/16" S.S. Flat Washer . . . . .	8.00
326	5/16" S. S. Lock Washer . . . . .	8.00
328	5/16" S.S. Hex Nut . . . . .	8.00
330	3/8"-16 x 3/4" Hex Head Cap Screw . . . . .	8.00
331	3/8"-16 x 1" Hex Head Cap Screw . . . . .	8.00
332	3/8" x 2-1/2" S.S. Cap Screw . . . . .	8.00
333	3/8" x 4" S.S. Hex Head Cap Screw . . . . .	8.00
334	3/8" S.S. Flat Washer . . . . .	8.00
335	3/8" S.S. Lock Washer . . . . .	8.00
336	3/8"-16 S.S. Finished Nut . . . . .	8.00
340	1/2" x 6-1/4" Hex Head Cap Screw . . . . .	9.00
341	1/2" S.S. Flat Washer . . . . .	8.00
342	1/2" S.S. Lock Washer . . . . .	8.00
352	3/8"-16 x 4-1/4" S.S. Hex Head Cap Screw . . . . .	9.00
357	1/4"-20 x 1/2" Cap Screw . . . . .	8.00
359	1/4"-20 x 1" S.S. Head Cap Screw . . . . .	8.00
366	6-32 Hex Nut . . . . .	8.00
367	6-32 x 1/2" S.S. Machine Screw . . . . .	8.00

<b>PART NO.</b>	<b>DESCRIPTION</b>	<b>PRICE EACH</b>
372	10-32 x 1/2 S.S. Machine Screw . . . . .	8.00
375	8-32 x 1/2" S.S. Machine Screw . . . . .	8.00
376	8-32 Hex Nut . . . . .	8.00
400	1/4" 90° Elbow, S.S. . . . .	12.00
402	1/2" x 1/4" Bushing, S.S. . . . .	12.00
410	Ball Valve 1/2 . . . . .	40.00
411	3-Way Valve with SS Handle . . . . .	55.00
415	Gas Inlet Fitting . . . . .	35.00
415-D	1/2" Square Head Plug, S.S. . . . .	12.00
425	1/2" 90° Elbow, S.S. . . . .	17.00
427	1/2" Tee, S.S. . . . .	17.00
428	1/2" Union, S.S. . . . .	30.00
431	1/2" Closed Nipple, S.S. . . . .	12.00
433	1/2" x 2" Closed Nipple, S.S. . . . .	12.00
440	1/2 x 5 Nipple . . . . .	15.00
446	1/2" x 3" Nipple, S.S. . . . .	12.00
450	1/4" x 3" Nipple, S.S. . . . .	12.00
451	1/4" 90° Street Elbow S.S. . . . .	15.00
452	1/4" x 1/8" Bushing, S.S. . . . .	15.00
453	1/4 Square Head Plug, S.S. . . . .	12.00
515-3	Bracket For Conduit . . . . .	35.00
526	Cabinet . . . . .	2,200.00
601-2	Electric Box Panel . . . . .	145.00
601-B	6 Strip Terminal . . . . .	20.00
601-C	Motor Cord . . . . .	35.00
603-1	90 Degree Connector . . . . .	20.00
603-3	Straight Connector . . . . .	20.00
604	Terminal Cap . . . . .	10.00
605-1	Cord Connector . . . . .	20.00
605-2	Cord Connector . . . . .	20.00
605-3	Cord Connector . . . . .	20.00
607	1/2" T Condulet . . . . .	20.00
607-A	1/2" Condulet Cover & Gasket . . . . .	10.00
608	1/2" Pull Elbow . . . . .	12.00
609	1/2" Aluminum Lock Nut . . . . .	8.00
610	1/2" Aluminum Coupling . . . . .	10.00
612-3	1/2" x 3" Aluminum Nipple . . . . .	10.00
612-4	1/2" x 4" Aluminum Nipple . . . . .	12.00
612-9	1/2" x 9" Aluminum Nipple . . . . .	20.00
612-12	1/2" x 12" Aluminum Nipple . . . . .	20.00
612-13	1/2" x 13" Aluminum Nipple . . . . .	20.00
627	1/2" LB Condulet . . . . .	20.00
648	Digital Vacuum and Gas Programmer . . . . .	300.00
648-1A	Base For Mounting 648 & 648-2 . . . . .	25.00
648-1B	Spring For 648-1A . . . . .	11.00
648-2	Power Supply Module 240VAC . . . . .	75.00
662	Solid State Relay 25 Amps . . . . .	45.00
684	Start/Stop Switch with Contact Block 684-1 . . . . .	90.00
684-2	Pull to Start/Push to Stop Legend Plate . . . . .	15.00

<b>PART NO.</b>	<b>DESCRIPITON</b>	<b>PRICE EACH</b>
<b>CHANGE PARTS</b>		
Seam Rolls	.....	225.00
Seam Roll Bushing	.....	35.00
Chucks	108 to 404 diameter .....	225.00
	405 to 603 diameter .....	325.00
	604 to 610 diameter .....	600.00
	Add for Magnets in Chuck (vac/gas seamers only) .....	100.00
	Add for Special .....	Request Price
<b>Send 3 samples ends for custom fabrication of a chuck</b>		
Base Plates	108 to 404 diameter .....	225.00
	405 to 603 diameter .....	350.00
	604 to 610 diameter .....	500.00
	Add for Modified Base Plate .....	Request Price
<b>Send 1 sample container for custom fabrication of a base plate</b>		
Height Spacer	.....	150.00

**SEND SAMPLES TO:** Dixie Canner Company 786 East Broad Street Athens, GA 30601

<b>SPK/UVG</b>	<b>SPARE PARTS KIT FOR MODEL UVG ... \$445.00</b>
2	11 Seam Roll Lever Spring
2	18 Cam Roll Lever Set Screw
2	19 Cam Roll Lever Spring
1	64-A Tension Spring For Starting Lever
1	65 Cam Spring
1	66 Cam Stud
2	70 Clutch Cam
1	100 Cotter Key
2	142-2 Woodruff Key
2	151 Spring Stop Pin
2	207 Seam Roll Screw
1	209-A Door Gasket
1	217 Spring - Treadle & Door
1	223-1 O-Ring
1	238 Clutch Stop Pin
1	247 Trip Lever Spring

<b>HEAD-UVG</b>	<b>HEAD ASSEMBLY (assembled) ..... \$1,444.00</b>
4	2 Screw
4	2-A Washer
1	1 Housing Cover
1	7-1 Bevel Gear - Bronze
1	8 Cam Housing with 8-B Insert
1	13 Seaming Cam
1	15 Spur Gear
1	100 Cotter Key
1	142-2 Woodruff Key
1	143-1 Bevel Gear - Steel with Keyway
1	208-1 Chuck Shaft
1	241 Gear Housing
1	243 Drive Shaft

**ALL PRICES ARE NET, F.O.B. ATHENS, GEORGIA  
AND ARE SUBJECT TO CONFIRMATION**